



3. BASED ON GOMPF BLANK P/N 9673.
2. USE MINIMUM BEND RADIUS.
1. DEBURR AND BREAK ALL SHARP EDGES AND CORNERS.

Notes: UNLESS OTHERWISE SPECIFIED

PROPRIETARY AND CONFIDENTIAL			DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ±1 TWO PLACE DECIMAL ±.010 THREE PLACE DECIMAL ±.005	NAME	DATE	Low Profile PCI Bracket Dual iSAS	
				DRAWN	IDS		11/16/06
				CHECKED			
				ENG APPR.			
			MFG APPR.			SHM-2620-2	
			Q.A.				
			COMMENTS:				
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CS ELECTRONICS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CS ELECTRONICS IS PROHIBITED.		MATERIAL				SIZE	
		.036 THK CRS				DWG. NO.	
		FINISH				REV	
		BRIGHT NICKEL				NC	
APPLICATION		DO NOT SCALE DRAWING				SCALE:1:1	
						WEIGHT:	
						SHEET 1 OF 1	